SAFETY DATA SHEET



SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Red End Seal **Product Number:** TIS-35F

Date Prepared: December 14, 2015

Responsible name: Regulatory and Safety Compliance

Relevant uses of this product: End Seal for Lumber

SECTION 2. HAZARDS IDENTIFICATION

OSHA/HCS Status: This material is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200). This SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and

other users of this product.

Classification of the

Substance or mixture:

Not Classified.

GHS label elements:

Signal Word: No Signal Word

Hazard statements: No known significant effects or critical hazards

Precautionary Statements:

General: Read label before use. Keep out of reach of children. If medical advice is

needed have product container, label or this SDS at hand.

Prevention: Not applicable.

Response: Not applicable

Storage: Not applicable

Disposal: Not applicable

Hazards not otherwise None known.

Classified:

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Mixture

Ingredient name: % CAS number

Occupational exposure limits, if available are listed in Section 8.

Any concentration shown as a range is to protect confidentiality or is due to batch variation. Based on intended use and resulting curing of this product, exposure to the above substances should only occur during sanding or other disruptive forces on this product that would produce dusts or other respirable residues. There are no additional ingredients present in this product that require reporting in this section.

SECTION 4. FIRST AID MEASURES

Description of necessary first aid measures:

EYE CONTACT: Immediately flush with large quantities of clean water for at least 15 minutes,

lifting upper and lower eyelids occasionally. Check for and remove any contact

lenses. Get medical attention if irritation persists.

INHALATION: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Get medical attention if symptoms occur.

Repeated or prolonged skin contact with liquid may cause irritation.

SKIN CONTACT: Flush contaminated skin with plenty of water. Remove contaminated clothing

and shoes. Get medical attention if symptoms occur.

INGESTION: Wash out mouth with water. Remove victim to fresh air and keep at rest in a

position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

attention if symptoms occur.

Most important symptoms/effects, acute and delayed:

Potential acute health effects:

Eye contact:No known significant effects or critical hazards.Inhalation:No known significant effects or critical hazardsSkin Contact:No known significant effects or critical hazardsIngestion:No known significant effects or critical hazards

Over-exposure signs/symptoms:

Eye contact:No Specific dataInhalation:No Specific dataSkin contact:No Specific dataIngestion:No Specific data

Indication of immediate medical attention and special treatment needed, if necessary:

Notes to physician: Treat symptomatically. Contact; poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments: No specific treatment...

Protection of first-aiders: No action shall be taken involving any personal risk or without

suitable training.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media:

Suitable extinguishing media:

Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media: None Known

Specific hazards arising from the chemical hazardous thermal:

In a fire or if heated, a pressure increase will occur and the container may

burst.

Decomposition products: Decomposition products may include carbon dioxide and/or carbon

monoxide

Special protective actions by fire-fighters:

Promptly isolate the scene by removing all persons from the area of the incident there is a fire. No action shall be taken involving any personal

risk or without suitable training.

Special protective equipment for fire-fighters:

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with full face-piece operated in

positive pressure mode.

Remark: This product is non-flammable-non-combustible

SECTION 6. ACCIDENTAL SPILL OR RELEASE PROCEDURES

Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel: No action shall be taken involving any personal risk or without suitable

training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions:

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and

mop up if water-soluble. Alternatively, if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via

a licensed waste disposal contractor.

Large spill: Stop leak if without risk. Move containers from spill area. Prevent entry

into sewers, water courses, basements or confined areas. Wash spillage into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and

Section 13 for waste disposal.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling:

Protective measures: Put on appropriate personal protective equipment (see Section 8).

Recommended general occupational hygiene:

Eating, drinking, smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking, and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional

information on hygiene measures.

Conditions for safe Storage, including any incompatibilities:

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental

contamination.

SECTION 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION EQUIPMENT

Control parameters:

Occupational exposure limits:

Ingredient name: Exposure Limits:

None requiring listing

Appropriate engineering measures:

Good general ventilation should be sufficient to control worker exposure to

airborne contaminants.

Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures:

Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical products,

before eating, smoking and using the lavatory at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Approved waterless hand cleaners are effective for removing this material.

Recommended Skin and Eye Protection:





Eye/face protection: Safety eyewear complying with an approved standard should be used

when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher

degree of protection: Safety glasses with side shields.

Hand protection: Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical products if

a risk assessment indicates this is necessary.

Body protection: Personal protective equipment for the body should be selected based on

the task being performed and the risks involved and should be approved

by a specialist before handling this product.

Other skin protection: Appropriate footwear and any additional skin protection measures should

be selected based on the task being performed and the risks involved and

should be approved by a specialist before handling this product.

Respiratory protection: If a risk assessment indicates need of respirator, use a properly fitted

appropriately designed approved respirator for the anticipated exposure

protection.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Paint Concentrate

Color: Red

Odor: Slight Latex odor
Boiling Point: >200 deg. F
Vapor Pressure: Not Available
Vapor Density: >1 (Air = 1)

Specific Gravity: 1.008 - 1.0085 (8.40-8.403 lbs/gal)

Page 5 of 8

% Solids Weight: 23%

Percent Volatiles: Approx. 77% by vol. (as water) **VOC:** Not Determined for product

HAPS: None

Evaporation Rate: Not determined for product

PH: 8.0-9.0

Flash Point: Non-flammable
Flammability: Non-flammable
Solubility: Dispersible in Water

Viscosity: Set to Customer Requirements

SECTION 10. STABILITY AND REACTIVITY

Reactivity: Not available for product Chemical stability: This product is stable

Hazardous reactions: Will not occur
Conditions to Avoid: None Known
Incompatibility: No specific data

Hazardous Decomposition: Under normal use, hazardous decomposition products should not be

produced.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects:

Acute toxicity: Product/ingredient name Result Species Dose Exposure

Irritation/Corrosion:Not AvailableSensitization:Not AvailableMutagenicity:Not AvailableCarcinogenicity:Not Available

Classification:

Product/ingredient name OSHA IARC NTP

Reproductive Toxicity:

Not Available

Teratogenicity:

Not Available

Specific target organ toxicity (single or repeated exposure):

Not Available

Aspiration Hazard:

Not Available

Likely routes of exposure: Routes of entry anticipated: Dermal, Inhalation

Potential chronic health effects:

Not Available

Conclusion/Summary: Handling and/or processing of this material may generate a dust which

can cause mechanical irritation of the eyes, skin, nose, and throat. Repeated inhalation of dust can produce varying degrees of respiratory

irritation or lung damage.

General:

No known significant effects or critical hazards
No known significant effects or critical hazards
Mutagenicity:
No known significant effects or critical hazards
Teratogenicity:
No known significant effects or critical hazards
Fertility affects:
No known significant effects or critical hazards
No known significant effects or critical hazards

Acute toxicity estimates:

Not Available

SECTION 12. ECOLOGICAL INFORMATION

Toxicity: Not Available

Persistence and degradability: Not Available

Other adverse effects: No known significant effects or critical hazards

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods:

EPA HAZARDOUS WASTE CODE: NONE

Generation of wastes should be avoided or minimized. Product must be disposed of properly by a licensed waste disposal contractor under Federal and State regulations for industrial wastes. Recommended disposal is incineration or Disposal in a Class D landfill of absorbed wastes pending approval. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. As delivered, this product when spilled, released or disposed of, is a non-hazardous waste as defined in RCRA regulations 40 CFR Part 261.

SECTION 14. TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME: Red End Seal (TIS-35F)

DOT HAZARD CLASS: None
DOT IDENTIFICATION NO. None
DOT PACKING GROUP: None
DOT RQ FOR PRODUCT: NA
DOT MARINE POLLUTANT: NA

TDG NAME: Red End Seal (TIS-35F)

TDG CLASS: None PIN NUMBER: None WHMIS: D 2 B

SECTION 15. REGULATORY INFORMATION

U.S. Federal regulations

United States inventory: The ingredients of this product are listed on or exempted by the United

States inventory (TSCA 8b).

SARA 311/312

Classification: Not Applicable

California Prop. 65

WARNING: Not Applicable

<u>Ingredient name:</u> <u>Cancer</u> <u>Reproductive</u>

WHMIS (Canada): Not Applicable

Canada Inventory All components are listed or exempted

International regulations

International lists:

Australia inventory (AICS):

China inventory (IECSC):

Japan inventory:

Korea inventory:

Malaysia inventory (EHS Register):

Not Determined

European Chemical Agency: This product does not contain any ECHS substances.

SECTION 16. OTHER INFORMATION

National Fire and Protection Association (U.S.A)

HMIS

Health 1 HEALTH 1
Flammability 0 FLAMMABILITY 0
Instability/

Reactivity 1 PHYSICAL/HAZARDS 0

Updated: August 31, 2016

Notice to reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.